



Factor II, Incorporated

Inventing and Innovating...

(Information: 1.928.537.8387)

ONLINE ORDERING www.factor2.com

Working and vulcanization may be extended at any catalyst concentration by pre-chilling the elastomer base, mixing equipment and molds. Vulcanization can be accelerated by use of a moderately heated mold 160F (72C) or less, or curing in a warm oven.

IMPORTANT:

Small trial mixes to determine the optimum catalyst concentration for a given application is recommended. Working and vulcanization times may be varied from as short as four minutes to as long as 100 minutes by changing the amount of catalyst. The working and vulcanization times may be extended at any given catalyst concentration by pre-chilling the elastomer base, mixing equipment and molds. Vulcanization may be accelerated by use of a moderately heated mold. 160°F. or less, or curing in a warm oven.

STORAGE AND SHELF LIFE:

6382 has a shelf life of 6 months from date of shipment when stored at room temperature 77F, (25C) in the original unopened containers. Refrigeration of this elastomer base may extend the shelf life of this material.

DO NOT REFRIGERATE THE CATALYST.

PACKAGING:

A-101 1 LB KIT A- 101-8 8 LB KIT

MEDICAL STATUS:

This material has been approved by the FDA for use in medical applications, FOR EXTERNAL USE ONLY, and is not intended for use as an implantable product.

CAUTION:

STANNOUS OCTOATE, (the catalyst) SHOULD NEVER COME IN CONTACT WITH THE EYES. IT WILL PRODUCE IRRITATION AND COULD CAUSE POSSIBLE INJURY TO THE CORNEA.

IT IS RECOMMENDED THAT THE PURCHASER THOROUGHLY TEST PERFORMANCE AND SAFETY OF ANY APPLICATION PRIOR TO FULL SCALE PRODUCTION OR COMMERCIALIZATION. INFORMATION CONTAINED HEREIN SHOULD NOT BE TAKEN AS INDUCEMENT TO INFRINGE ANY PATENT. MANUFACTURER WARRANTS ONLY THAT ITS PRODUCTS MEET ITS SPECIFICATIONS, THERE IS NO WARRANTY OF MERCHANTABILITY OF FITNESS FOR USE OR ANY OTHER EXPRESS OR IMPLIED WARRANTIES. MANUFACTURER MAKES NO GUARANTEE OF SATISFACTORY RESULTS FROM RELIANCE UPON INFORMATION, STATEMENTS OR RECOMMENDATIONS CONTAINED HEREIN AND DISCLAIMS ALL LIABILITY FROM ANY RESULTING LOSS OR DAMAGE.

FACTOR II, MAKE NO GUARANTEE OF SATISFACTORY RESULTS

PATENT WARNING:

Factor II Technology disclaims any expressed or implied warranty against the infringement of any patent. Factor II does not warrant that the use or sale of the products described herein will not infringe the claims of any U.S. patents or other country's patents covering the product itself or the use in combination with other products or in the operation of any process.