



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code: A-RTV-3020 B

Revision Date: 09/11/2019

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Composition Comments

Mixture of Polyorganosiloxanes, fillers.

SECTION 4: FIRST AID MEASURES

General information

For further information refer to section 8 "Exposure-controls/personal protection".

Ingestion

Do not induce vomiting. Rinse mouth thoroughly. Get medical attention if symptoms occur.

Inhalation

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin Contact

Wash skin thoroughly with soap and water. Get medical attention if symptoms occur after washing.

Eye contact

In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention if irritation persists after washing.

Most important symptoms/effects, acute and delayed

Symptoms None known.

Hazards No specific recommendations.

Indication of immediate medical attention and special treatment needed

Treatment No specific recommendations

SECTION 5: FIRE FIGHTING MEASURES

General Fire Hazard

Water spray should be used to cool containers.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

Dry chemical, alcohol resistant foam or carbon dioxide (CO₂).



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code: A-RTV-3020 B

Revision Date: 09/11/2019

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire. Do not use alkaline powders.

Specific hazards arising from the chemical

Product will burn under fire conditions. This product may generate hydrogen gas. Vapors may form explosive mixtures with air. For further information, refer to Section 10: "Stability and Reactivity". Hazardous Decomposition Products: formaldehyde, oxides of carbon and silica.

Special protective equipment and precautions for firefighters

Special firefighting procedures

Water spray should be used to cool containers.

Special protective equipment for fire-fighters

Firefighters should wear standard protective equipment and a positive pressure self-contained breathing apparatus (SCBA).

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Avoid contact with alkalis and caustic products. Eliminate all sources of ignition.

Methods and material for containment and cleaning up

Ventilate the area. Use non-sparking tools. Absorb with sand or other inert absorbent. Avoid contact with bases. Scrape up and place in appropriate vented container.

Notification Procedures

Caution: Contaminated surfaces may be slippery. For waste disposal, see Section 13 of the SDS.

Environmental Precautions

Do not allow to enter drains, sewers or watercourses.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:

Provide adequate ventilation if fumes or vapors are generated. Do not mix with incompatible materials. For further information, refer to Section 10: "Stability and Reactivity". Read and follow manufacturer's recommendations.

Conditions for safe storage, including any incompatibilities:

Store in original vented container. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures.



SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

Appropriate Engineering Controls

No specific recommendations.

Individual protection measures, such as personal protective equipment

General information

Provide sufficient ventilation during operations which cause vapor formation. This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air.

Eye/face protection

Wear approved chemical safety glasses.

Skin Protection

Hand Protection

Protective gloves are recommended.

Other

Wear suitable protective clothing.

Respiratory Protection

No protection is ordinarily required under normal conditions of use and with adequate ventilation.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Based on typical material)

Information on basic physical and chemical properties:

Appearance

Physical state

Liquid

Form

Viscous

Color

Colorless

Odor

Slight odor

Odor threshold

No data available

pH

Not applicable

Freezing point

No data available.

Boiling Point

No data available.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code: A-RTV-3020 B

Revision Date: 09/11/2019

Flash Point	> 392 °F (200 °C)
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Flammability limit - upper (%)	75 %(V)
Flammability limit - lower (%)	4 %(V)
Vapor pressure	No data available.
Vapor density	No data available.
Relative density	1.04 (77 °F (25 °C))
Solubility(ies)	
Solubility in water	Insoluble in water
Solubility (other)	No data available.
Partition coefficient (n-octanol/water)	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	200 - 600 mm ² /s (77 °F (25 °C))

SECTION 10: STABILITY AND REACTIVITY DATA

Reactivity	No data available.
Chemical Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	This product may generate hydrogen gas.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources.

Incompatible Materials

A fire or explosion hazard arises because highly flammable gas (hydrogen) is released when it is in contact with: Strong oxidizers, strong bases and chemical compounds with mobile hydrogen, in the presence of metal salts and complexes.

Hazardous Decomposition Products:

This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air. Thermal decomposition or combustion may liberate carbon oxides, other toxic gases or vapors and amorphous silica.

Quantity of hydrogen potentially released (l/kg of product): ~38

SECTION 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion	No data available.
Inhalation	No data available.
Skin Contact	No data available.
Eye contact	No data available.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code: A-RTV-3020 B

Revision Date: 09/11/2019

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion	No data available.
Inhalation	No data available.
Skin Contact	No data available.
Eye contact	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product	ATEmix: 2,500 mg/kg
Dermal Product	No data available.
Inhalation Product	No data available.
Repeated dose toxicity Product	No data available.

Skin Corrosion/Irritation Product No data available.

Serious Eye Damage/Eye Irritation Product No data available.

Respiratory or Skin Sensitization Product No data available.

Carcinogenicity Product No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro Product No data available.

In vivo Product No data available.

Reproductive toxicity Product No data available.

Specific Target Organ Toxicity - Single Exposure Product
No data available.

Specific Target Organ Toxicity - Repeated Exposure Product
No data available.

Aspiration Hazard Product No data available.

Other effects No data available.



SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Acute hazards to the aquatic environment

Fish Product No data available.

Aquatic Invertebrates Product No data available.

Chronic hazards to the aquatic environment

Fish Product No data available.

Aquatic Invertebrates Product No data available.

Toxicity to Aquatic Plants Product No data available.

Persistence and Degradability

Biodegradation Product No data available.

BOD/COD Ratio Product No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF) Product No data available.

Partition Coefficient n-octanol / water (log Kow) Product
No data available.

Mobility in soil No data available.

Other adverse effects No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal instructions:

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Contaminated packages should be as empty as possible. Waste of this material should not be mixed with other waste. Provide measures such as vented bungs to ensure pressure relief in the waste container.

SECTION 14: TRANSPORT INFORMATION

This material is not subject to transport regulations.

Environmental hazards Not regulated.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code: A-RTV-3020 B

Revision Date: 09/11/2019

Special precautions for user

Packaging with a breathing/venting bung are
FORBIDDEN for transport by air.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Acute (Immediate) Chronic (Delayed) Fire Reactive Pressure Generating

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

No ingredient regulated by NJ Right-to-Know Law present.

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Inventory Status

Australia AICS

On or in compliance with the inventory.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code: A-RTV-3020 B

Revision Date: 09/11/2019

Canada DSL Inventory List	On or in compliance with the inventory.
EU EINECS List	On or in compliance with the inventory.
Japan (ENCS) List	On or in compliance with the inventory.
China Inv. Existing Chemical Substances	On or in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI)	On or in compliance with the inventory.
Philippines PICCS	On or in compliance with the inventory.
US TSCA Inventory	On or in compliance with the inventory.
New Zealand Inventory of Chemicals	On or in compliance with the inventory.

SECTION 16: OTHER INFORMATION

HMIS Hazard ID

Health	1 - Slight
Flammability	1 - Slight
Physical Hazards	1 - Slight
PERSONAL PROTECTION	B – Safety Glasses and gloves

NFPA Hazard ID

Flammability	1 - Slight
Health	1 - Slight
Reactivity	1 - Slight
Special Hazard	

PATENT WARNING:

Factor II Technology disclaims any expressed or implied warranty against the infringement of any patent. Factor II does not warrant that the use or sale of the products described herein will not infringe the claims of any U.S. patents or other country's patents covering the product itself or the use in combination with other products or in the operation of any process.

WARNINGS ABOUT PRODUCT SAFETY:

Factor II technology believes that the information and data contained herein is accurate and reliable; however, it is the user's responsibility to determine suitability and safety of use for these materials. Factor II cannot know the specific requirements of each application and hereby makes the user aware that it has not tested or determined that these materials are suitable or safe for any application. It is the user's responsibility to adequately test and determine the safety and suitability for their application. Factor II makes no warranty concerning fitness for any use or purpose. There has been no testing done by Factor II to establish safety of use in any medical application. Factor II has tested this material only to determine if the product meets the applicable specification. When considering the use a Factor II product in a particular application, you should review the latest Material Safety Data Sheets and contact Factor II for any questions about product safety information you may have.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code: A-RTV-3020 B

Revision Date: 09/11/2019

IT IS RECOMMENDED THAT THE PURCHASER THOROUGHLY TEST ANY APPLICATION PRIOR TO FULL SCALE PRODUCTION OR COMMERCIALIZATION. INFORMATION CONTAINED IN THIS TECHNICAL PROFILE SHOULD NOT BE TAKEN AS INDUCEMENT TO FRINGE ANY PATENT. FACTOR II WARRANTS ONLY THAT ITS PRODUCTS MEET ITS SPECIFICATIONS. THERE IS NO WARRANTY OF MERCHANTABILITY OF FITNESS FOR USE OR ANY OTHER WARRANTIES EXPRESS OR IMPLIED. FACTOR II MAKES NO GUARANTEE OF SATISFACTORY RESULTS

DISCLAIMER / STATEMENT OF LIABILITY:

This is to certify that the above designated material has been tested and did comply with the listed specifications (with listed exceptions) when supplied in original container. The material is subject to the conditions listed on the invoice. The above is a copy of information on file. The lot acceptance data are available for examination. This is a computer-generated document that is valid without a signature. The information above is supplied in good faith and, to the best of our knowledge, is based on available sources believed to be reliable and accurate. This document and any information provided herein are for your guidance only. The use by the requestor is beyond Factor II control; therefore, the responsibility for appropriate and safe use of the above information lies with the End user. Factor II shall not be responsible for any misuse and/or misapplication of the information in this document. Factor II is a distributor of this product not the manufacture. Factor II will warrant this product 6-months from the ship date, some restrictions apply.