



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

### SECTION 1: IDENTIFICATION

#### PRODUCT IDENTIFIER

Product Name      Pro Bond Solvent

Product Code      B-608

Intended Use(s) :    For professional use only

#### CONTACT INFORMATION FOR SUPPLIER OF SAFETY DATA SHEET

Factor II, Incorporated  
5642 White Mountain Ave  
PO Box 1339  
Lakeside AZ 85929  
928-537-8387  
[www.factor2.com](http://www.factor2.com)  
[sales@factor2.com](mailto:sales@factor2.com)

#### EMERGENCY TELEPHONE NUMBERS

928- 368-7502

### SECTION 2: HAZARD IDENTIFICATION

#### **GHS classification in accordance with 29 CFR 1910.1200**

Flammable liquids

Category 3

#### **GHS label elements**

##### **Hazard pictograms**



**Signal Word**

Warning

**Hazard Statements**

H226 Flammable liquid and vapor.

#### **Precautionary Statements**

##### **Prevention**

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
- P242 Use only non-sparking tools.



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

P243 Take precautionary measures against static discharge.  
P280 Wear protective gloves/ eye protection/ face protection.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

**Storage** P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal** P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards** Vapors may form explosive mixture with air.  
Static-accumulating flammable liquid.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS


<b>Substance / Mixture</b>	Substance
<b>Substance name</b>	Octamethyltrisiloxane
<b>CAS-No.</b>	107-51-7
<b>Chemical nature</b>	Silicone

#### Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Octamethyltrisiloxane	107-51-7	>= 90 - <= 100

### SECTION 4: FIRST AID MEASURES

<b>If inhaled</b>	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
<b>In case of skin contact</b>	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes.
<b>In case of eye contact</b>	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
<b>If swallowed</b>	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
<b>Most important symptoms and effects, both acute and delayed</b>	None known.
<b>Protection of first-aiders</b>	No special precautions are necessary for first aid responders.



**Notes to physician**

Treat symptomatically and supportively.

**SECTION 5: FIRE FIGHTING MEASURES**

**Suitable extinguishing media**

Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

**Unsuitable extinguishing media**

High volume water jet

**Specific hazards during fire fighting**

Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
Fire burns more vigorously than would be expected.  
Exposure to combustion products may be a hazard to health.

**Hazardous combustion products**

Carbon oxides  
Silicon oxides  
Formaldehyde

**Specific extinguishing methods**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

**Special protective equipment for fire-fighters**

Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition.  
Follow safe handling advice and personal protective equipment recommendations.

**Environmental precautions**

Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

### Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray jet.

For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable absorbent.

Dispose of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## SECTION 7: HANDLING AND STORAGE

### Technical measures

Ensure all equipment is electrically grounded before beginning transfer operations.

This material can accumulate static charge due to its inherent physical properties and can therefore cause an electrical ignition source to vapors. In order to prevent a fire hazard, as bonding and grounding may be insufficient to remove static electricity, it is necessary to provide an inert gas purge before beginning transfer operations.

Restrict flow velocity in order to reduce the accumulation of static electricity.

### Local/Total ventilation

Use with local exhaust ventilation.

Use only in an area equipped with explosion proof exhaust ventilation.

### Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Non-sparking tools should be used.

Keep container tightly closed.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the environment.

### Conditions for safe storage

Keep in properly labeled containers.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

### Materials to avoid

Do not store with the following product types:

- Strong oxidizing agents
- Organic peroxides
- Flammable solids
- Pyrophoric liquids
- Pyrophoric solids
- Self-heating substances and mixtures
- Substances and mixtures which in contact with water emit flammable gases
- Explosives
- Gases

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Octamethyltrisiloxane	107-51-7	TWA	200 ppm	DCC OEL

### Engineering measures

- Processing may form hazardous compounds (see section 10).
- Minimize workplace exposure concentrations.
- Use only in an area equipped with explosion proof exhaust ventilation.
- Use with local exhaust ventilation.

### Personal protective equipment

#### Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn.

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

#### Hand protection

##### Remarks

Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.



**Eye protection**

Wear the following personal protective equipment: Safety glasses

**Skin and body protection**

Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Wear the following personal protective equipment: Flame retardant antistatic protective clothing.

Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**Hygiene measures**

Ensure that eye flushing systems and safety showers are located close to the working place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.

For further information regarding the use of silicones / organic oils in consumer aerosol applications, please refer to the guidance document regarding the use of these type of materials in consumer aerosol applications that has been developed by the silicone industry ([www.SEHSC.com](http://www.SEHSC.com))

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Based on typical material)**

Appearance	liquid
Color	colorless
Odor	none
Odor Threshold	No data available
pH	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	152 °C
Flash point	30 °C
	Method Tag closed cup
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable
Self-ignition	The substance or mixture is not classified as pyrophoric. The substance or mixture is not classified as self-heating.
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapor pressure	No data available
Relative vapor density	No data available
Relative density	0.816
Solubility(ies)	
Water solubility	No data available



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

Partition coefficient: noctanol/water	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	
Viscosity, kinematic	1 cSt
Explosive properties	Not explosive
Oxidizing properties	The substance or mixture is not classified as oxidizing.
Molecular weight	No data available

### SECTION 10: STABILITY AND REACTIVITY DATA

<b>Reactivity</b>	Not classified as a reactivity hazard.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents. When heated to temperatures above 150 °C (300 °F) in the presence of air, trace quantities of formaldehyde may be released. Adequate ventilation is required. See OSHA formaldehyde standard, 29 CFR 1910.1048 Hazardous decomposition products will be formed at elevated temperatures.
<b>Conditions to avoid</b>	Handling operations that can promote accumulation of static charges. Heat, flames and sparks.
<b>Incompatible materials</b>	Oxidizing agents
<b>Hazardous decomposition products</b>	
Thermal decomposition	Formaldehyde

### SECTION 11: TOXICOLOGICAL INFORMATION

<b>Information on likely routes of exposure</b>	Inhalation Skin contact Ingestion Eye contact
<b>Acute toxicity</b>	Not classified based on available Information.



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

### Product

**Acute oral toxicity** LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: On basis of test data.

**Acute inhalation toxicity** LC50 (Rat): > 2350 ppm  
Exposure time: 4 h  
Test atmosphere: vapor  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: On basis of test data.

### Ingredients

#### ***Octamethyltrisiloxane:***

**Acute oral toxicity** LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: On basis of test data.

**Acute inhalation toxicity** LC50 (Rat): > 2350 ppm  
Exposure time: 4 h  
Test atmosphere: vapor  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: On basis of test data.

**Acute dermal toxicity** LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: On basis of test data.

**Skin corrosion/irritation** Not classified based on available information.

### Product

Species: Rabbit  
Result: No skin irritation  
Remarks: On basis of test data.


### Ingredients:

#### ***Octamethyltrisiloxane***

Species: Rabbit  
Result: No skin irritation  
Remarks: On basis of test data.

**Serious eye damage/eye irritation** Not classified based on available information.





## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

### Ingredients

#### **Octamethyltrisiloxane**

Result: No eye irritation

Remarks: Based on data from similar materials

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

### Product:

Assessment: Does not cause skin sensitization.

Test Type: Human repeat insult patch test (HRIPT)

Species: Humans

Remarks: On basis of test data.

### Ingredients:

#### **Octamethyltrisiloxane:**

Assessment: Does not cause skin sensitization.

Test Type: Human repeat insult patch test (HRIPT)

Species: Humans

Result: negative

Remarks: On basis of test data.

### **Germ cell mutagenicity**

Not classified based on available information.

### Product:

#### **Genotoxicity in vitro**

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: On basis of test data.

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: On basis of test data.

### Ingredients:

#### **Octamethyltrisiloxane:**

#### **Genotoxicity in vitro**

Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: On basis of test data.

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: On basis of test data.

### **Carcinogenicity**

Not classified based on available information.



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

### IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### Product:

#### Effects on fertility

Test Type: Combined repeated dose toxicity study with the reproduction/  
developmental toxicity screening test

Species: Rat, male and female

Application Route: inhalation (vapor)

Symptoms: No effects on fertility.

Remarks: On basis of test data.

Test Type: Uterotrophic assay

Species: Rat, female

Application Route: inhalation (vapor)

Result: negative

Remarks: On basis of test data.

#### Effects on fetal development

Test Type: Combined repeated dose toxicity study with the reproduction/  
developmental toxicity screening test Species: Rat, male and female

Application Route: inhalation (vapor)

Symptoms: No effects on fetal development.

Remarks: On basis of test data.

### Reproductive toxicity - Assessment

No evidence of adverse effects on sexual function and fertility, or on  
development, based on animal experiments.

### Ingredients:

#### **Octamethyltrisiloxane:**

#### Effects on fertility

Test Type: Combined repeated dose toxicity study with the reproduction/  
developmental toxicity screening test

Species: Rat, male and female

Application Route: inhalation (vapor)



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

Symptoms: No effects on fertility.  
Remarks: On basis of test data.

Test Type: Uterotrophic assay  
Species: Rat, female  
Application Route: inhalation (vapor)  
Result: negative  
Remarks: On basis of test data.

### Effects on fetal development

Test Type: Combined repeated dose toxicity study with the reproduction/  
developmental toxicity screening test  
Species: Rat, male and female  
Application Route: inhalation (vapor)  
Symptoms: No effects on fetal development.  
Remarks: On basis of test data.

### Reproductive toxicity – Assessment

No evidence of adverse effects on sexual function and fertility, or on development,  
based on animal experiments.

**STOT-single exposure** Not classified based on available information.

**STOT-repeated exposure** Not classified based on available information.

### Product:

**Routes of exposure** Inhalation (vapor)  
Assessment: No significant health effects observed in animals at concentrations  
of 1 mg/l/6h/d or less.

### Ingredients:

#### ***Octamethyltrisiloxane:***

**Routes of exposure** Ingestion  
Assessment: No significant health effects observed in animals at concentrations  
of 100 mg/kg bw or less.

**Routes of exposure** inhalation (vapor)  
Assessment: No significant health effects observed in animals at concentrations  
of 1 mg/l/6h/d or less.

### Repeated dose toxicity

#### Product:

Species: Rat  
Application Route: inhalation (vapor)  
Remarks: On basis of test data.

### Ingredients

#### ***Octamethyltrisiloxane***



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

Species: Rat  
Application Route: Ingestion  
Remarks: On basis of test data.

Species: Rat  
Application Route: Ingestion  
Remarks: On basis of test data.

Species: Rat  
Application Route: inhalation (vapor)  
Remarks: On basis of test data.

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Ingredients

##### ***Octamethyltrisiloxane:***

Remarks: This material contains octamethyltrisiloxane (L3). Repeated inhalation exposure in rats to L3 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity

#### Ingredients

##### ***Octamethyltrisiloxane***

#### **Toxicity to fish**

LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 0.019 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: On basis of test data.  
No toxicity at the limit of solubility.

#### **Toxicity to daphnia and other aquatic invertebrates**

EC50 (*Daphnia magna* (Water flea)): > 0.020 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.

#### **Toxicity to algae**

EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 0.0094 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

### Toxicity to fish (Chronic toxicity)

LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.034 mg/l

Remarks: No toxicity at the limit of solubility.

NOEC (Oncorhynchus mykiss (rainbow trout)):  $\geq$  0.034 mg/l

Remarks: No toxicity at the limit of solubility.

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.027 mg/l

Method: OECD Test Guideline 210

Remarks: On basis of test data.

No toxicity at the limit of solubility.

### Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia sp. (Water flea)): > 0.15 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility.

### Ecotoxicology Assessment

#### Acute aquatic toxicity

This product has no known ecotoxicological effects.

#### Chronic aquatic toxicity

This product has no known ecotoxicological effects.

### Persistence and degradability

#### Ingredients:

##### *Octamethyltrisiloxane*

#### Biodegradability

Result: Not readily biodegradable.

Biodegradation: 0 %

Method: OECD Test Guideline 310

#### Stability in water

Degradation half life: 329 h pH: 7

Method: OECD Test Guideline 111

Remarks: On basis of test data.

### Bioaccumulative potential

#### Ingredients

##### *Octamethyltrisiloxane*

#### Bioaccumulation

Species: Pimephales promelas (fathead minnow)

Bioconcentration factor (BCF):  $\geq$  500

Method: OECD Test Guideline 305

Remarks: Biomagnification factor <1

#### Partition coefficient: n-octanol/water

log Pow:  $\geq$  4

Remarks: On basis of test data.



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

**Mobility in soil** No data available

**Other adverse effects** No data available

### SECTION 13: DISPOSAL CONSIDERATIONS

#### Disposal methods

##### Resource Conservation and Recovery Act (RCRA)

When a decision is made to discard this material as supplied, it is classified as a RCRA hazardous waste.

**Waste Code** D001: Ignitability

**Waste from residues** Dispose of in accordance with local regulations.

##### Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

Empty containers retain residue and can be dangerous.

Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.

If not otherwise specified: Dispose of as unused product.

### SECTION 14: TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

<b>UN number</b>	UN 1993
<b>Proper shipping name</b>	Flammable liquid, n.o.s. (Octamethyltrisiloxane)
<b>Class</b>	3
<b>Packing group</b>	III
<b>Labels</b>	3

##### IATA-DGR

<b>UN/ID No.</b>	UN 1993
<b>Proper shipping name</b>	Flammable liquid, n.o.s. (Octamethyltrisiloxane)
<b>Class</b>	3
<b>Packing group</b>	III
<b>Labels</b>	Flammable Liquids
<b>Packing instruction (cargo aircraft)</b>	366
<b>Packing instruction (passenger aircraft)</b>	355



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

### IMDG-Code

<b>UN number</b>	UN 1993
<b>Proper shipping name</b>	Flammable liquid, n.o.s. (Octamethyltrisiloxane)
<b>Class</b>	3
<b>Packing group</b>	III
<b>Labels</b>	3
<b>EmS Code</b>	F-E, S-E
<b>Marine pollutant</b>	no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

<b>UN/ID/NA number</b>	UN 1993
<b>Proper shipping name</b>	Flammable liquids, n.o.s. (Octamethyltrisiloxane)
<b>Class</b>	3
<b>Packing group</b>	III
<b>Labels</b>	Flammable liquid
<b>ERG Code</b>	128
<b>Marine pollutant</b>	no

## SECTION 15: REGULATORY INVORMATION

### EPCRA - Emergency Planning and Community Right-to-Know

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 311/312 Hazards

Fire Hazard

#### SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Octamethyltrisiloxane

107-51-7



## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### The ingredients of this product are reported in the following inventories:

NZIoC	All ingredients listed or exempt.
REACH	All ingredients (pre-)registered or exempt.
TSCA	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
AICS	All ingredients listed or exempt.
IECSC	All ingredients listed or exempt.
ENCS/ISHL	All components are listed on ENCS/ISHL or exempted from inventory listing.
KECI	All ingredients listed, exempt or notified.
PICCS	All ingredients listed or exempt.
DSL	All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).
TCSI	All ingredients listed or exempt.

### SECTION 16: OTHER INFORMATION

#### HMIS Hazard ID

<b>Health</b>	/ - Absence of a chronic hazard
	0 - Minimal
<b>Flammability</b>	3 - Serious
<b>Physical Hazards</b>	0 - Minimal

#### NFPA Hazard ID

<b>Flammability</b>	3 - Serious
<b>Health</b>	0 - Minimal
<b>Instability</b>	0 - Minimal
<b>Special Hazard</b>	

#### PATENT WARNING:

Factor II Technology disclaims any expressed or implied warranty against the infringement of any patent. Factor II does not warrant that the use or sale of the products described herein will not infringe the claims





## Factor II, Incorporated

The Art, Science and Technology of  
Silicones and Prosthetics...

## Safety Data Sheet

Product Code: B-608

Revision Date: 12/29/2016

of any U.S. patents or other country's patents covering the product itself or the use in combination with other products or in the operation of any process.

### **WARNINGS ABOUT PRODUCT SAFETY:**

Factor II technology believes that the information and data contained herein is accurate and reliable; however, it is the user's responsibility to determine suitability and safety of use for these materials. Factor II cannot know the specific requirements of each application and hereby makes the user aware that it has not tested or determined that these materials are suitable or safe for any application. It is the user's responsibility to adequately test and determine the safety and suitability for their application. Factor II makes no warranty concerning fitness for any use or purpose. There has been no testing done by Factor II to establish safety of use in any medical application. Factor II has tested this material only to determine if the product meets the applicable specification. When considering the use of a Factor II product in a particular application, you should review the latest Material Safety Data Sheets and contact Factor II for any questions about product safety information you may have.

**IT IS RECOMMENDED THAT THE PURCHASER THOROUGHLY TEST ANY APPLICATION PRIOR TO FULL SCALE PRODUCTION OR COMMERCIALIZATION. INFORMATION CONTAINED IN THIS TECHNICAL PROFILE SHOULD NOT BE TAKEN AS INDUCEMENT TO FRINGE ANY PATENT. FACTOR II WARRANTS ONLY THAT ITS PRODUCTS MEET ITS SPECIFICATIONS. THERE IS NO WARRANTY OF MERCHANTABILITY OF FITNESS FOR USE OR ANY OTHER WARRANTIES EXPRESS OR IMPLIED. FACTOR II MAKES NO GUARANTEE OF SATISFACTORY RESULTS**

### ***DISCLAIMER / STATEMENT OF LIABILITY:***

*This is to certify that the above designated material has been tested and did comply with the listed specifications (with listed exceptions) when supplied in original container. The material is subject to the conditions listed on the invoice. The above is a copy of information on file. The lot acceptance data are available for examination. This is a computer-generated document that is valid without a signature. The information above is supplied in good faith and, to the best of our knowledge, is based on available sources believed to be reliable and accurate. This document and any information provided herein are for your guidance only. The use by the requestor is beyond Factor II control; therefore, the responsibility for appropriate and safe use of the above information lies with the End user. Factor II shall not be responsible for any misuse and/or misapplication of the information in this document. Factor II is a distributor of this product not the manufacture. Factor II will warrant this product 6-months from the ship date, some restrictions apply.*