



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER

Product Name Platinum Model Making Silicone

Product Code FX-505 (V-340)

Intended Use(s) : For professional use only

CONTACT INFORMATION FOR SUPPLIER OF SAFETY DATA SHEET

Factor II, Incorporated
5642 White Mountain Ave
PO Box 1339
Lakeside AZ 85929
928-537-8387
www.factor2.com
sales@factor2.com

EMERGENCY TELEPHONE NUMBERS

928- 368-7502

SECTION 2: HAZARD(S) IDENTIFICATION

Hazard Classification

Label Elements

Hazard Symbol: No symbol.

Signal Word: No signal word.

Hazard Statement: Quartz: When encapsulated in a polymer, is not expected to pose a health hazard when processed under normal conditions of use.

Precautionary Statements


Prevention: Not applicable

Response: Not applicable

Storage: Not applicable

Disposal: Not applicable

Other hazards which do not result in GHS classification: No data available



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

SECTION 3: HAZARDOUS INGREDIENTS

Mixtures

Composition Comments: Mixture of Polyorganosiloxanes, fillers, additives.

SECTION 4: FIRST-AID MEASURES

General information: For further information refer to section 8 "Exposure-controls/personal protection".

Ingestion: Do not induce vomiting. Rinse mouth thoroughly. Get medical attention if symptoms occur.

Inhalation: Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin Contact: Wash skin thoroughly with soap and water. Get medical attention if symptoms occur after washing.

Eye contact: In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention if irritation persists after washing.

Most important symptoms/effects, acute and delayed

Symptoms: None known.
Hazards: No specific recommendations.

Indication of immediate medical attention and special treatment needed

Treatment: No specific recommendations

SECTION 5: FIRE-FIGHTING MEASURES

General Fire Hazards: No specific recommendations.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical:

Product will burn under fire conditions. Hazardous Decomposition Products : formaldehyde, oxides of carbon and silica.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Water spray should be used to cool containers.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

Special protective equipment for fire-fighters:

Firefighters should wear standard protective equipment and a positive pressure self-contained breathing apparatus (SCBA).

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:

See Section 8 of the SDS for Personal Protective Equipment. For further information, refer to Section 10: "Stability and Reactivity".

Conditions for safe storage, including any incompatibilities:

Store in tightly closed original container in a dry, cool and well-ventilated place.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits

Quartz : When encapsulated in a polymer, is not expected to pose a health hazard when processed under normal conditions of use.

Appropriate Engineering Controls

No specific recommendations.

Individual protection measures, such as personal protective equipment

General information:

Provide sufficient ventilation during operations which cause vapor formation. This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air.

Eye/face protection:

Wear approved chemical safety glasses.

Skin Protection

Hand Protection:

Protective gloves are recommended.

Other:

Wear suitable protective clothing.

Respiratory Protection:

No protection is ordinarily required under normal conditions of use and with adequate ventilation.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:

Appearance

Physical state:	Liquid
Form:	Viscous
Color:	Beige
Odor:	Slight odor
Odor threshold:	No data available.
pH:	Not applicable
Freezing point:	No data available.
Boiling Point:	No data available.
Flash Point:	> 212 °F (100 °C) (Tagliabue Closed Cup)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	1.36 (77 °F (25 °C))
Solubility(ies)	
Solubility in water:	Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	> 752 °F (400 °C)
Decomposition temperature:	No data available.
Viscosity:	50,000 - 70,000 mm ² /s (77 °F (25 °C))

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	No data available.
Chemical Stability:	Stable.
Possibility of hazardous reactions:	Will not occur.
Conditions to avoid:	None known.
Incompatible Materials:	Strong oxidizers, strong acids, and strong bases.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

Hazardous Decomposition Products:

This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air. Thermal decomposition or combustion may liberate carbon oxides, other toxic gases or vapors and amorphous silica.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product: No data available.

Dermal Product: No data available.

Inhalation Product: No data available.

Repeated dose toxicity Product: No data available.

Skin Corrosion/Irritation Product: No data available.

Serious Eye Damage/Eye Irritation Product: No data available.

Respiratory or Skin Sensitization Product: No data available.

Carcinogenicity Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Quartz (SiO₂) Overall evaluation: Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

Quartz (SiO₂) Known carcinogen.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro Product:

No data available.

In vivo Product:

No data available.

Reproductive toxicity Product:

No data available.

Specific Target Organ Toxicity - Single Exposure Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure Product:

No data available.

Aspiration Hazard Product:

No data available.

Other effects:

No data available.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product:

No data available.

Aquatic Invertebrates Product:

No data available.

Chronic hazards to the aquatic environment:

Fish Product:

No data available.

Aquatic Invertebrates Product:

No data available.

Toxicity to Aquatic Plants Product:

No data available.

Persistence and Degradability

Biodegradation Product:

No data available.

BOD/COD Ratio Product:

No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF) Product:

No data available.

Partition Coefficient n-octanol / water (log Kow) Product:

No data available.

Mobility in soil:

No data available.

Other adverse effects:

No data available.



SECTION 13: DISPOSAL CONSIDERATIONS

Disposal instructions:

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Contaminated packages should be as empty as possible.

SECTION 14: TRANSPORT INFORMATION

This material is not subject to transport regulations.

Environmental hazards: Not regulated.

Special precautions for user: No special precautions.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Acute (Immediate) Chronic (Delayed) Fire Reactive Pressure Generating

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Quartz (SiO₂)

Carcinogenic.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Quartz (SiO₂)

US. Massachusetts RTK - Substance List

Chemical Identity

Quartz (SiO₂)

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Quartz (SiO₂)

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Inventory Status:

US TSCA Inventory:	On or in compliance with the inventory.
Canada DSL Inventory List:	On or in compliance with the inventory.
EU EINECS List:	On or in compliance with the inventory.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory.
Australia AICS:	On or in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory.

SECTION 16: OTHER INFORMATION

HNIS Hazard ID

Health

1 - Slight

Flammability

1 - Slight

Physical Hazards

0 - Minimal

PERSONAL PROTECTION

B – Safety Glasses and gloves



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

NFPA Hazard ID

Flammability

1 - Slight

Health

1 - Slight

Reactivity

0 - Minimal

Special Hazard

DISCLAIMER / STATEMENT OF LIABILITY:

This is a computer-generated document that is valid without a signature.

The information above is supplied in good faith and, to the best of our knowledge, is based on available sources believed to be reliable and accurate. This document and any information provided herein are for your guidance only. The use by the requestor is beyond Factor II control; therefore, the responsibility for appropriate and safe use of the above information lies with the End user. Factor II shall not be responsible for any misuse and/or misapplication of the information in this document.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER

Product Name Catalyst

Product Code FX-505

Intended Use(s) : For professional use only

CONTACT INFORMATION FOR SUPPLIER OF SAFETY DATA SHEET

Factor II, Incorporated
5642 White Mountain Ave
PO Box 1339
Lakeside AZ 85929
928-537-8387
www.factor2.com
sales@factor2.com

EMERGENCY TELEPHONE NUMBERS

928- 368-7502

SECTION 2: HAZARD(S) IDENTIFICATION

Hazard Classification

Health Hazards

Toxic to reproduction

Category 2

Label Elements

Hazard Symbol:



Signal Word:

Warning

Hazard Statement:

Suspected of damaging fertility.

Precautionary Statements

Prevention:

Use personal protective equipment as required.

Response:

IF exposed or concerned: Get medical advice/
attention.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

Other hazards which do not result in GHS classification:

Chemical compounds containing silicon - hydrogen bonds (SiH). This product may generate hydrogen gas. For further information, refer to Section 10: "Stability and Reactivity".

SECTION 3: HAZARDOUS INGREDIENTS

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Octamethylcyclotetrasiloxane	556-67-2	0.1 - 1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments:

Mixture of Polyorganosiloxanes, fillers.

SECTION 4: FIRST-AID MEASURES

General information:

For further information refer to section 8 "Exposure-controls/personal protection".

Ingestion:

Do not induce vomiting. Rinse mouth thoroughly. Get medical attention if symptoms occur.

Inhalation:

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin Contact:

Wash skin thoroughly with soap and water. Get medical attention if symptoms occur after washing.

Eye contact:

In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention if irritation persists after washing.

Most important symptoms/effects, acute and delayed

Symptoms:

None known.

Hazards:

No specific recommendations.

Indication of immediate medical attention and special treatment needed

Treatment:

No specific recommendations.

SECTION 5: FIRE-FIGHTING MEASURES

General Fire Hazards:

Water spray should be used to cool containers.

Suitable (and unsuitable) extinguishing media



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

Suitable extinguishing media: Dry chemical, alcohol resistant foam or carbon dioxide (CO₂).

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire. Do not use alkaline powders.

Specific hazards arising from the chemical:

Product will burn under fire conditions. This product may generate hydrogen gas. Vapors may form explosive mixtures with air. For further information, refer to Section 10: "Stability and Reactivity". Hazardous Decomposition Products : formaldehyde, oxides of carbon and silica.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Water spray should be used to cool containers.

Special protective equipment for fire-fighters:

Firefighters should wear standard protective equipment and a positive pressure self-contained breathing apparatus (SCBA).

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Wear appropriate personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Avoid contact with alkalis and caustic products. Eliminate all sources of ignition.

Methods and material for containment and cleaning up:

Ventilate the area. Use non-sparking tools. Absorb with sand or other inert absorbent. Avoid contact with bases. Scrape up and place in appropriate vented container.

Notification Procedures:

Caution: Contaminated surfaces may be slippery. For waste disposal, see Section 13 of the SDS.

Environmental Precautions:

Do not allow to enter drains, sewers or watercourses.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:

Provide adequate ventilation if fumes or vapors are generated. Do not mix with incompatible materials. For further information, refer to Section 10: "Stability and Reactivity". Read and follow manufacturer's recommendations.

Conditions for safe storage, including any incompatibilities:

Store in original vented container. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

temperatures.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

Appropriate Engineering Controls

No specific recommendations.

Individual protection measures, such as personal protective equipment

General information:

Provide sufficient ventilation during operations which cause vapor formation. This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air.

Eye/face protection:

Wear approved chemical safety glasses.

Skin Protection

Hand Protection:

Protective gloves are recommended.

Other:

Wear suitable protective clothing.

Respiratory Protection:

No protection is ordinarily required under normal conditions of use and with adequate ventilation.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:

Appearance

Physical state:

Liquid

Form:

Viscous

Color:

Blue

Odor:

Slight odor

Odor threshold:

No data available.

pH:

Not applicable

Freezing point:

No data available.

Boiling Point:

No data available.

Flash Point:

> 201 °F (94 °C)

Evaporation rate:

No data available.



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

Flammability (solid, gas):	No data available.
Flammability limit - upper (%)	74 %(V) Hydrogen.
Flammability limit - lower (%)	4 %(V) Hydrogen.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	1.04 (77 °F (25 °C))
Solubility(ies)	
Solubility in water:	Practically Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	932 °F (500 °C) Hydrogen.
Decomposition temperature:	No data available.
Viscosity:	400 - 600 mm ² /s (77 °F (25 °C))

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	This product may generate hydrogen gas.
Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.

Incompatible Materials:

A fire or explosion hazard arises because highly flammable gas (hydrogen) is released when it is in contact with: Strong oxidizers, strong bases and chemical compounds with mobile hydrogen, in the presence of metal salts and complexes.

Hazardous Decomposition Products:

This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air. Thermal decomposition or combustion may liberate carbon oxides, other toxic gases or vapors and amorphous silica.
Quantity of hydrogen potentially released (l/kg of product): < 22

SECTION 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
-------------------	--------------------



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

Inhalation: No data available.
Skin Contact: No data available.
Eye contact: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product: No data available.

Dermal Product: No data available.

Inhalation Product: No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane LC 50 (Rat, 4 h): 36 mg/l

Repeated dose toxicity Product: No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane NOAEL (Rat, Inhalation, 24 months): 1.820 mg/l
NOAEL (Rabbit, Dermal, 3 weeks): 960 mg/kg

Skin Corrosion/Irritation Product: No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane (Rabbit, 24 h): Not irritating

Serious Eye Damage/Eye Irritation Product: No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane (Rabbit, 24 h): Not irritating

Respiratory or Skin Sensitization Product: No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane (Pig) Not a skin sensitizer.

Carcinogenicity Product: No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane No effects expected.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

Germ Cell Mutagenicity

In vitro Product:

No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane

Bacteria: No mutagenic components identified. Chromosomal aberration: No mutagenic components identified. In vitro gene mutations test on mammalian cells:: No mutagenic components identified.

In vivo Product:

No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane

(Rat)No mutagenic components identified.

Reproductive toxicity Product:

No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane

Suspected of damaging fertility.

Specific Target Organ Toxicity - Single Exposure Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure Product:

No data available.

Aspiration Hazard Product:

No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane

No effects expected.

Other effects:

No data available.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product:

No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane

LC 50 (Oncorhynchus mykiss, 96 h): ≥ 0.022 mg/l

Aquatic Invertebrates Product:

No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane

EC 50 (Water flea (Daphnia magna), 48 h): > 0.015 mg/l



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

Chronic hazards to the aquatic environment:

Fish Product:

No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane

NOEC (Oncorhynchus mykiss, 93 d): ≥ 0.0044 mg/l

Aquatic Invertebrates Product:

No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane

NOEC (Water flea (Daphnia magna), 21 d): 0.015 mg/l

Toxicity to Aquatic Plants Product:

No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane

EC 50 (Green algae (Selenastrum capricornutum), 96 h): > 0.022 mg/l

Persistence and Degradability

Biodegradation Product:

No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane

3.7 % (29 d)

BOD/COD Ratio Product:

No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF) Product:

No data available.

Specified substance(s):

Octamethylcyclotetrasiloxane

Fathead Minnow, Bioconcentration Factor (BCF): 12,400

Partition Coefficient n-octanol / water (log Kow) Product:

No data available.

Mobility in soil:

No data available.

Known or predicted distribution to environmental compartments

Octamethylcyclotetrasiloxane


No data available.

Other adverse effects:

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal instructions:



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Contaminated packages should be as empty as possible. Waste of this material should not be mixed with other waste. Provide measures such as vented bungs to ensure pressure relief in the waste container

SECTION 14: TRANSPORT INFORMATION

This material is not subject to transport regulations.

Environmental hazards: Not regulated.

Special precautions for user: Packaging with a breathing/venting bung are FORBIDDEN for transport by air.

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Acute (Immediate) Chronic (Delayed) Fire Reactive Pressure Generating

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

No ingredient regulated by NJ Right-to-Know Law present.

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Inventory Status:

US TSCA Inventory:	On or in compliance with the inventory.
Canada DSL Inventory List:	On or in compliance with the inventory.
EU EINECS List:	On or in compliance with the inventory.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory.
Australia AICS:	On or in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory.

SECTION 16: OTHER INFORMATION

HNIS Hazard ID

Health	* - Chronic health effect
Flammability	1 - Slight
Physical Hazards	1 - Slight
PERSONAL PROTECTION	B – Safety Glasses and gloves

NFPA Hazard ID

Flammability	1 - Slight
Health	1 - Slight
Reactivity	1 - Slight
Special Hazard	

PATENT WARNING:

Factor II Technology disclaims any expressed or implied warranty against the infringement of any patent. Factor II does not warrant that the use or sale of the products described herein will not infringe the claims of any U.S. patents or other country's patents covering the product itself or the use in combination with other products or in the operation of any process.

WARNINGS ABOUT PRODUCT SAFETY:

Factor II technology believes that the information and data contained herein is accurate and reliable; however, it is the user's responsibility to determine suitability and safety of use for these materials. Factor II cannot know the specific requirements of each application and hereby makes the user aware that it has not tested or determined that these materials are suitable or safe for any application. It is the



Factor II, Incorporated

The Art, Science and Technology of
Silicones and Prosthetics...

Safety Data Sheet

Product Code FX-505 (V-340)

Revision Date: 10/03/2017

user's responsibility to adequately test and determine the safety and suitability for their application. Factor II makes no warranty concerning fitness for any use or purpose. There has been no testing done by Factor II to establish safety of use in any medical application. Factor II has tested this material only to determine if the product meets the applicable specification. When considering the use a Factor II product in a particular application, you should review the latest Material Safety Data Sheets and contact Factor II for any questions about product safety information you may have.

IT IS RECOMMENDED THAT THE PURCHASER THOROUGHLY TEST ANY APPLICATION PRIOR TO FULL SCALE PRODUCTION OR COMMERCIALIZATION. INFORMATION CONTAINED IN THIS TECHNICAL PROFILE SHOULD NOT BE TAKEN AS INDUCEMENT TO FRINGE ANY PATENT. FACTOR II WARRANTS ONLY THAT ITS PRODUCTS MEET ITS SPECIFICATIONS. THERE IS NO WARRANTY OF MERCHANTABILITY OF FITNESS FOR USE OR ANY OTHER WARRANTIES EXPRESS OR IMPLIED. FACTOR II MAKES NO GUARANTEE OF SATISFACTORY RESULTS

DISCLAIMER / STATEMENT OF LIABILITY:

This is to certify that the above designated material has been tested and did comply with the listed specifications (with listed exceptions) when supplied in original container. The material is subject to the conditions listed on the invoice. The above is a copy of information on file. The lot acceptance data are available for examination. This is a computer-generated document that is valid without a signature. The information above is supplied in good faith and, to the best of our knowledge, is based on available sources believed to be reliable and accurate. This document and any information provided herein are for your guidance only. The use by the requestor is beyond Factor II control; therefore, the responsibility for appropriate and safe use of the above information lies with the End user. Factor II shall not be responsible for any misuse and/or misapplication of the information in this document. Factor II is a distributor of this product not the manufacture. Factor II will warrant this product 6-months from the ship date, some restrictions apply.