



SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER

Product Name : Ocular Prosthetic Pupil Ink

Product Code : J-116

Intended Use(s) : Adding a pupil to an ocular prosthetic

CONTACT INFORMATION FOR SUPPLIER OF SAFETY DATA SHEET

Factor II, Incorporated PO
Box 1339
5642 White Mountain Ave Lakeside
AZ 85929
928-537-8387
800-332-8688
www.factor2.com
sales@factor2.com

EMERGENCY TELEPHONE NUMBERS

Factor II, Incorporated 928 368 7502
Americas :
Europe : (+) 1 928 368 7502
Asia Pacific : (+) 1 928 368 7502
Middle East / Africa : (+) 1 928 368 7502
Australia : (+) 1 928 368 7502
China : (+) 1 928 368 7502

SECTION 2: HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

Flammable Liquid 2
Skin Corrosion/Irritation 2
Skin Sensitizer 1
Specific Target Organ Toxicity - Single Exposure 3

Label Elements - Pictograms, Signal Word, Hazard Statements, Precautionary Statements, & supplemental Information



Signal word

Danger



Hazard statements:

Hazards Statements

H225 Highly flammable liquid and vapour

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H335 May cause respiratory irritation

Precautionary statements :

P210 Keep away from heat/sparks/open flames/hot surfaces
– No smoking Keep container tightly closed. Keep cool.

P405 - Store locked up.

P233 Keep container tightly closed

P240 Ground and bond container and receiving equipment

P241 Use explosion-proof Electrical / ventilating / light /.../
equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P264 Wash hands and exposed skin thoroughly after
Handling

Handling

P272 Contaminated work clothing should not be allowed out
of the workplace

P280 Wear protective gloves/protective clothing/eye
protection/face protection

P321 Specific treatment (see ... on this label)

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P302+P352 IF ON SKIN: Wash with soap and water

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off
immediately all contaminated clothing. Rinse skin with water /
shower

P332+P313 If skin irritation occurs: Get medical advice /
attention

P333+P313 If skin irritation or a rash occurs: Get medical
Advice / attention

P370+P378 In case of fire: Use CO2 for extinction

P403+P235 Store in a well ventilated place. Keep cool

P501 Dispose of contents/container to an authorized
disposal facility

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Name	Product Identifier	%	GHS-US classification
Methyl Methacrylate	(CAS No) 80-62-6	90-100	Skin Corrosion/Irritation 2 (H315) Skin Sensitizer 1 (H317) Specific Target Organ Toxicity - Single Exposure 3 (H335)
Ethylene Glycol Dimethacrylate	(CAS No) 97-90-5	1-5	Skin Sensitizer 1 (H317) Specific Target Organ Toxicity - Single Exposure 3 (H335)
Black Oil Paint	Proprietary		Non Hazardous



SECTION 4: FIRST-AID MEASURES

General Advice

Provide the SDS to medical personnel for treatment.

Inhalation:

Remove victim to fresh air. Seek immediate medical attention.

Eye Contact:

If product gets in the eyes, flush with lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.

Skin Contact:

Rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.

Clothing:

Remove contaminated clothing, wash thoroughly before reuse.

Ingestion:

If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Get medical attention immediately.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Chemical (alcohol-resistant) foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media

Water spray or water stream may not be effective.

Specific Hazards Arising from the Chemical

High temperatures, inhibitor depletion, accidental impurities, or exposure to radiation or oxidizers may cause spontaneous polymerizing reaction generating heat/pressure. Closed containers may rupture or explode during a runaway polymerization. This product is a flammable liquid. Vapors of this product are heavier than air and may travel to a source of ignition and flash back to a leaking or open container. Vapor forms an explosive mixture with air.

Hazardous Combustion Products

Acrid smoke-fumes/carbon monoxide/carbon dioxide and perhaps other toxic vapors may be released during a fire involving this product.



Special Fire Fighting Procedures:

Use a water spray or fog to reduce or direct vapors, and keep containers cool. Water may not be effective in actually extinguishing a fire involving this product. Do not enter fire area without proper protection. Fight fire from a safe location. Structural firefighters must wear SCBAs and full protective equipment. Heat/impurities may cause pressure to build and/or rupture closed containers, spreading fire, increasing risk of burns/injuries.

Protective Equipment and Precautions for Firefighters

Wear self-contained breathing apparatus for firefighting if necessary. Do not enter fire area without proper protection. Fight fire from safe distance/protected location. Heat/impurities may increase temperature/build pressure/rupture closed containers, spreading fire, increasing risk of burns/injuries. Use water spray to cool unopened containers. Pressure relief system may plug with solids creating risk of overpressure.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Before cleaning any spill or leak, individuals must wear appropriate Personal Protective Equipment that is specified in section 8. Deny entry to all unprotected individuals. Remove any contaminated clothing and wash thoroughly before reuse.

Environmental Precautions

Extinguish all ignition sources. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. May contaminate water supplies/be harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

Methods and Material for Containment and Cleaning Up

Methods for Containment

Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material (e.g. sand or earth). May contaminate water supply.

Methods for Cleaning Up

Maximize ventilation (open doors and windows) and secure all sources of ignition. Use good, local ventilation with a minimum capture velocity of 100 ft/min (30 m/min) at point of product release. Place into appropriate closed container(s) for disposal in accordance with local, state and federal regulations. Wash all affected areas with plenty of warm water and soap.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling

Keep away from heat, sparks, and flame. Keep container closed after each use. Do NOT use localized heat source such as band heaters to heat/melt product. Do NOT use steam. Hot boxes or hot rooms are recommended for heating the product, which can be set at a maximum temperature



of 60°C/140°F. Avoid contact with skin, eyes and clothing. Use good personal hygiene and housekeeping. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling product. Observe precautions found on label. Keep away from heat, sparks, and flame. Keep container closed after each use. Ground and bond all containers when transferring. Refer to Section 8 for suggested exposure controls and personal protection. Observe precautions found on label

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Store containers in a cool, dry location, away from direct sunlight, heat, sparks, flame, other light sources, or sources of intense heat. Store in accordance with National Fire Protection Association recommendations. Check inhibitor levels periodically, adding to the bulk material if needed. Maintain at a minimum, the original 2-inch headspace in the product container and do not blanket or mix with oxygen-free gas as it renders the inhibitor ineffective. Vapors are uninhibited and may form polymers in vents or flame arresters, resulting in blockage of vents. Product residue may remain in empty containers. Observe all label precautions until the container is cleaned, reconditioned, or destroyed.

Incompatible Materials

Strong oxidizers, strong reducers, free radical initiators, inert gases, oxygen scavengers.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Methyl Methacrylate 80-62-6	100 ppm TWA; 410 mg/m3 TWA	100 ppm STEL 50 ppm TWA	NIOSH: 100 ppm TWA; 410 mg/m3 TWA
Ethylene Glycol Dimethacrylate 97-90-5			

Engineering Controls

Use local explosion-proof ventilation that is adequate to keep employee exposure to airborne concentrations below exposure limits. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personnel Protective Equipment (PPE)

Respiratory Protection

A respirator should be worn whenever workplace conditions warrant a respirators use. None required if airborne concentrations are maintained below the exposure limit listed above. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134 or other appropriate governing standard.

Face Protection

Wear safety glasses, chemical goggles when splashing is possible, when dealing with this material. If necessary, refer to U.S. OSHA 29 CFR §1910.133, or other appropriate governing standard. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.

Skin and Body Protection

Complete suit protecting against chemicals, the type of protective equipment must be selected



according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact:

Splash contact:

Material:

Nitrile rubber

Minimum layer thickness:

0.4 mm Minimum layer thickness: 0.11 mm

Break through time:

480 min Break through time: 120 min

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. An eyewash station and a safety shower are recommended. Food, beverages, and tobacco products should not be carried, stored, or consumed where this material is in use. Wash hands thoroughly before eating, drinking, or smoking.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear Odor: Acrid Odor Flammable Limit (Air Volume%, 0% Lower/Upper) Evaporation Rate Specific Gravity 1.052698065	Physical State: Liquid Flash Point: 54 F, 12 C Autoignition Temperature: 421°C Boiling Range (low - high) 101°C
---	--

SECTION 10: STABILITY AND REACTIVITY

Note: Materials listed as stable may become unstable up depletion of inhibitors (such as mequinol or hydroquinone), contact the manufacturer for exact levels and instructions on inhibitor maintenance.

Material stability

Stable

Incompatible materials

Strong oxidizers, strong reducers, free radical initiators, inert gases, oxygen scavengers. Material has strong solvent properties and can soften paint and rubber.

Hazardous decomposition products

Oxides of Carbon

Hazardous polymerization may occur.

Possibility of hazardous reactions



SECTION 11: TOXICOLOGICAL INFORMATION

Mixture Toxicity

Inhalation Toxicity: 4,876mg/L

Component Toxicity

Routes of Exposure

No data available

Target Organs

Eyes Skin Respiratory System

Effects of Overexposure

Product Components Listed as Carcinogenic

Cas Number	Description	%weight	Carcinogen Rating
None			No Data Available

SECTION 12: ECOLOGICAL INFORMATION

Component Ecotoxicity

Methyl Methacrylate

96 Hr LC50 Pimephales promelas: 243 - 275 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas: 125.5 - 190.7 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 170 - 206 mg/L [flow-through]; 96 Hr LC50 Lepomis macrochirus: 153.9 - 341.8 mg/L [static]; 96 Hr LC50 Oncorhynchus mykiss: >79 mg/L [flowthrough]; 96 Hr LC50 Oncorhynchus mykiss: >79 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 326.4 - 426.9 mg/L [static] 48 Hr EC50 Daphnia magna: 69 mg/L 96 Hr EC50 Pseudokirchneriella subcapitata: 170 mg/L

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

It is the responsibility of the generator to determine at the time of disposal whether the product meets the criteria of a hazardous waste. When discarded as shipped it is a hazardous waste by the EPA under RCRA. After addition of excess inhibitor, dispose waste material in accordance with Federal, State, and Local regulations. Comply with all applicable federal, state and local regulations. Waste disposal options include landfilling solids at permitted sites. Incinerate in a chemical incinerator equipped with an afterburner and scrubber. Use registered transporters.

Contaminated Packaging

Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards, due to residual flammable material, associated with empty containers. Dispose of all empty containers properly, in accordance with Federal, State and Local regulations



SECTION 14: TRANSPORT INFORMATION

Agency	Proper Shipping Name	UN Number	Packing group	Haz. class
DOT	METHYL METHACRYLATE MONOMER, STABILIZED RQ: MMA=1000	UN1247	II	3
IATA	METHYL METHACRYLATE MONOMER, STABILIZED	UN1247	II	3
IMDG	METHYL METHACRYLATE MONOMER, STABILIZED	UN1247	II	3

SECTION 15: REGULATORY INFORMATION

State of California Safe Drinking Water and Toxic Enforcement Act of 1986

(Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin: - None

SARA 313

Methyl Methacrylate 80-62-6

US State Right-to-Know Regulations

- None

Country	Regulation	All Components Listed
	Canada DSL	Yes
	EINECS	Yes
	SARA Hazard categories	Yes
	TSCA Inventory	Yes

SECTION 16: OTHER INFORMATION



Hazardous Material Information System (HMIS)

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	2
PERSONAL PROTECTION	B

HMIS & NFPA Hazard Rating Legend

* = Chronic Health Hazard
0 = INSIGNIFICANT
1 = SLIGHT
2 = MODERATE
3 = HIGH

National Fire Protection Association (NFPA)



SECTION 1: IDENTIFICATION

PRODUCT IDENTIFIER

Product Name Silicone Elastomer

Product Code A-RTV-4020 C



Intended Use(s) : For professional use only

CONTACT INFORMATION FOR SUPPLIER OF SAFETY DATA SHEET

Factor II, Incorporated
5642 White Mountain Ave
PO Box 1339
Lakeside AZ 85929
928-537-8387
www.factor2.com
sales@factor2.com

EMERGENCY TELEPHONE NUMBERS

928- 368-7502

SECTION 2: HAZARD IDENTIFICATION

Hazard Classification Not a hazardous substance or mixture according to GHS.

Label Elements

Hazard Symbol	No symbol.
Signal Word	No signal word.
Hazard Statement	Not applicable.

Precautionary Statements

Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.

Other hazards which do not result in GHS classification

Chemical compounds containing silicon - hydrogen bonds (SiH). This product may generate hydrogen gas. For further information, refer to Section 10: "Stability and Reactivity".

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Composition Comments	Mixture of Polyorganosiloxanes, fillers.
-----------------------------	--

SECTION 4: FIRST AID MEASURES

General information For further information refer to section 8 "Exposure-controls/ personal



protection".

- Ingestion** Do not induce vomiting. Rinse mouth thoroughly. Get medical attention if symptoms occur.
- Inhalation** Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
- Skin Contact** Wash skin thoroughly with soap and water. Get medical attention if symptoms occur after washing.
- Eye contact** In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention if irritation persists after washing.

Most important symptoms/effects, acute and delayed

- Symptoms** None known.
- Hazards** No specific recommendations.

Indication of immediate medical attention and special treatment needed

- Treatment** No specific recommendations.

SECTION 5: FIRE FIGHTING MEASURES

General Fire Hazards Water spray should be used to cool containers.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media
Dry chemical, alcohol resistant foam or carbon dioxide (CO2).

Unsuitable extinguishing media
Do not use water jet as an extinguisher, as this will spread the fire. Do not use alkaline powders.

Specific hazards arising from the chemical

Product will burn under fire conditions. This product may generate hydrogen gas. Vapors may form explosive mixtures with air. For further information, refer to Section 10: "Stability and Reactivity".
Hazardous Decomposition Products : formaldehyde, oxides of carbon and silica.

Special protective equipment and precautions for firefighters

Special firefighting procedures
Water spray should be used to cool containers.

Special protective equipment for fire-fighters:
Firefighters should wear standard protective equipment and a positive pressure self-contained breathing apparatus (SCBA).

SECTION 6: ACCIDENTAL RELEASE MEASURES



Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Avoid contact with alkalis and caustic products. Eliminate all sources of ignition.

Methods and material for containment and cleaning up

Ventilate the area. Use non-sparking tools. Absorb with sand or other inert absorbent. Avoid contact with bases. Scrape up and place in appropriate vented container.

Notification Procedures

Caution: Contaminated surfaces may be slippery. For waste disposal, see Section 13 of the SDS.

Environmental Precautions

Do not allow to enter drains, sewers or watercourses.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Provide adequate ventilation if fumes or vapors are generated. Do not mix with incompatible materials. For further information, refer to Section 10: "Stability and Reactivity". Read and follow manufacturer's recommendations.

Conditions for safe storage, including any incompatibilities

Store in original vented container. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION



Control Parameters

Occupational Exposure Limits **None of the components have assigned exposure limits.**

Appropriate Engineering Controls **No special precautions.**

Individual protection measures, such as personal protective equipment

General information

Provide sufficient ventilation during operations which cause vapor formation. This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air.

Eye/face protection **Wear approved chemical safety glasses.**

Skin Protection

Hand Protection **Protective gloves are recommended.**

Other **Wear suitable protective clothing.**

Respiratory Protection

No protection is ordinarily required under normal conditions of use and with adequate ventilation. If ventilation is insufficient, suitable respiratory protection must be provided.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Based on typical material)

Information on basic physical and chemical properties

Appearance

Physical state Liquid
Form Viscous
Color Colorless
Odor Slight odor

Odor threshold No data available.

pH Not applicable.

Freezing point No data available.

Boiling Point No data available.

Flash Point > 392 °F (200 °C)

Evaporation rate No data available.

Flammability (solid, gas) No data available.

Flammability limit - upper (%) 74 %(V) Hydrogen.

Flammability limit - lower (%) 4 %(V) Hydrogen.

Vapor pressure No data available.



Vapor density	No data available.
Relative density	1.04 (77 °F (25 °C))
Solubility(ies)	
Solubility in water	Insoluble
Solubility (other)	No data available.
Partition coefficient (n-octanol/water)	No data available.
Auto-ignition temperature	932 °F (500 °C) Hydrogen.
Decomposition temperature	No data available.
Viscosity	200 - 600 mm ² /s (77 °F (25 °C))

SECTION 10: STABILITY AND REACTIVITY DATA

Reactivity	No data available.
Chemical Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	This product may generate hydrogen gas.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources.

Incompatible Materials

A fire or explosion hazard arises because highly flammable gas (hydrogen) is released when it is in contact with: Strong oxidizers, strong bases and chemical compounds with mobile hydrogen, in the presence of metal salts and complexes.

Hazardous Decomposition Products

This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air. Thermal decomposition or combustion may liberate carbon oxides, other toxic gases or vapors and amorphous silica.

Quantity of hydrogen potentially released (l/kg of product): ~38

SECTION 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion	No data available.
Inhalation	No data available.
Skin Contact	No data available.
Eye contact	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion	No data available.
Inhalation	No data available.
Skin Contact	No data available.
Eye contact	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product	ATEmix: 2,500 mg/kg
---------------------	---------------------



Dermal Product	No data available.
Inhalation Product	No data available.
Repeated dose toxicity Product	No data available.
Skin Corrosion/Irritation Product	No data available.
Serious Eye Damage/Eye Irritation Product	No data available.
Respiratory or Skin Sensitization Product	No data available.
Carcinogenicity Product	No data available.
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans	No carcinogenic components identified
US. National Toxicology Program (NTP) Report on Carcinogens	No carcinogenic components identified
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	No carcinogenic components identified
Germ Cell Mutagenicity	
In vitro Product	No data available.
In vivo Product	No data available.
Reproductive toxicity Product	No data available.
Specific Target Organ Toxicity - Single Exposure Product	No data available.
Specific Target Organ Toxicity - Repeated Exposure Product	No data available.
Aspiration Hazard Product	No data available.
Other effects	No data available.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product No data available.

Aquatic Invertebrates Product No data available.

Chronic hazards to the aquatic environment

Fish Product No data available.



Aquatic Invertebrates Product No data available.

Toxicity to Aquatic Plants Product No data available.

Persistence and Degradability

Biodegradation Product No data available.

BOD/COD Ratio Product No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF) Product No data available.

Partition Coefficient n-octanol / water (log Kow) Product
No data available.

Mobility in soil No data available.

Other adverse effects No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal instructions

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Waste of this material should not be mixed with other waste. Provide measures such as vented bungs to ensure pressure relief in the waste container. Contaminated packages should be as empty as possible and equipped with a degassing device.

SECTION 14: TRANSPORT INFORMATION

This material is not subject to transport regulations.

Environmental hazards Not regulated.

Special precautions for user Packaging with a breathing/venting bung are FORBIDDEN for transport by air.

SECTION 15: REGULATORY INVORMATION

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Acute (Immediate) Chronic (Delayed) Fire Reactive Pressure Generating



SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

No ingredient regulated by NJ Right-to-Know Law present.

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK No ingredient regulated by RI Right-to-Know Law present.

Inventory Status

US TSCA Inventory	On or in compliance with the inventory.
Canada DSL Inventory List	On or in compliance with the inventory.
EU EINECS List	On or in compliance with the inventory.
Japan (ENCS) List	On or in compliance with the inventory.
China Inv. Existing Chemical Substances	On or in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI)	On or in compliance with the inventory.
Australia AICS	On or in compliance with the inventory.
Philippines PICCS	On or in compliance with the inventory.
New Zealand Inventory of Chemicals	On or in compliance with the inventory.

SECTION 16: OTHER INFORMATION



HMIS Hazard ID

Health	1 - Slight
Flammability	1 - Slight
Physical Hazards	1 - Slight
PERSONAL PROTECTION	B – Safety Glasses and gloves

NFPA Hazard ID

Flammability	1 - Slight
Health	1 - Slight
Reactivity	1 - Slight
Special Hazard	

PATENT WARNING:

Factor II Technology disclaims any expressed or implied warranty against the infringement of any patent. Factor II does not warrant that the use or sale of the products described herein will not infringe the claims of any U.S. patents or other country’s patents covering the product itself or the use in combination with other products or in the operation of any process.

WARNINGS ABOUT PRODUCT SAFETY:

Factor II technology believes that the information and data contained herein is accurate and reliable; however, it is the user’s responsibility to determine suitability and safety of use for these materials.

Factor II cannot know the specific requirements of each application and hereby makes the user aware that it has not tested or determined that these materials are suitable or safe for any application. It is the user’s responsibility to adequately test and determine the safety and suitability for their application. Factor II makes no warranty concerning fitness for any use or purpose. There has been no testing done by Factor II to establish safety of use in any medical application. Factor II has tested this material only to determine if the product meets the applicable specification. When considering the use a Factor II product in a particular application, you should review the latest Material Safety Data Sheets and contact Factor II for any questions about product safety information you may have.

IT IS RECOMMENDED THAT THE PURCHASER THOROUGHLY TEST ANY APPLICATION PRIOR TO FULL SCALE PRODUCTION OR COMMERCIALIZATION. INFORMATION CONTAINED IN THIS TECHNICAL PROFILE SHOULD NOT BE TAKEN AS INDUCEMENT TO FRINGE ANY PATENT. FACTOR II WARRANTS ONLY THAT ITS PRODUCTS MEET ITS SPECIFICATIONS. THERE IS NO WARRANTY OF MERCHANTABILITY OF FITNESS FOR USE OR ANY OTHER WARRANTIES EXPRESS OR IMPLIED. FACTOR II MAKES NO GUARANTEE OF SATISFACTORY RESULTS

DISCLAIMER / STATEMENT OF LIABILITY:

This is to certify that the above designated material has been tested and did comply with the listed specifications (with listed exceptions) when supplied in original container. The material is subject to the conditions listed on the invoice. The above is a copy of information on file. The lot acceptance data are available for examination. This is a computer-generated document that is valid without a signature. The information above is supplied in good faith and, to the best of our knowledge, is based on available sources believed to be reliable and accurate. This document and any information provided herein are for your guidance only. The use by the requestor is beyond Factor II control; therefore, the responsibility for appropriate and safe use of the above information lies with the End user. Factor II shall not be responsible for any misuse and/or misapplication of the information in this document. Factor II is a distributor of this product not the manufacture. Factor II will warrant this product 6-months from the ship date, some restrictions apply.