SILBIONE MED ADH 4100



Technical Data Sheet n° 425-V2 – 2018/08/31

| Description | Silbione MED ADH 4100 RTV is a single component silicone adhesive designed for medical applications where a high strength elastic bond of silicone to silicone is needed. Silbione® MED ADH 4100 RTV cures at room temperature by exposure to ambient moisture to form a tough, elastic bond. During curing, acetic acid is released as a by-product. Silbione® MED ADH 4100 RTV contains no solvents or plasticizers and is designed to exhibit high thixotropy in thin sections, but self level in thick sections. |
|--------------------------|--|
| Examples of applications | Medical (<30 day implantable) |
| | Bonding silicone substrates to other silicone substrates |
| Key benefits | Very high bond strength |
| | Cures at room temperature |
| | Ready-to-use, easy to apply |

Typical properties

| Properties | Value | | |
|---|---------------------------------|--|--|
| Appearance | Colorless, clear to translucent | | |
| Tack Free Time, minutes | 9 | | |
| Cured 72 hrs./ 25°C | | | |
| Durometer, Shore A | 29 | | |
| Tensile Strength, psi (N/mm²) | 820 (5.7) | | |
| Elongation, % | 780 | | |
| Tear Strength, ppi (N/mm) | 85 (14.9) | | |
| Cohesive/ Adhesive Strength, ppi (N/mm) | 30 (5.3) | | |
| Specific Gravity | 1.09 | | |
| Cytotoxicity | Non-toxic | | |



SILBIONE MED ADH 4100

Technical Data Sheet n° 425-V2 - 2018/08/31

| | Please note: The typical properties are not intended for use in preparing specifications. Please contact our local Sales Department for assistance in writing specifications. | | |
|------------------------|---|--|--|
| Instruction of use | Silbione MED ADH 4100 RTV is a ready to use product. Surfaces to be bonded with adhesive should be pre-scrubbed thoroughly with a clean, soft sponge or soft-bristled brush in hot water-soap solution to remove possible surface contaminants. Do not use synthetic detergents or oil-based soaps. Rinse with copious amounts of hot water, then rinse with distilled water and dry thoroughly. Apply Silbione MED ADH 4100 RTV adhesive and then mate the surfaces together with light pressure. A bond thickness of 0.010" minimum is recommended to achieve optimum strength. Partial cure is typically achieved in 20 minutes. Ultimate cure and optimal physical properties will be achieved after 24-120 hours at 25°C and ambient moisture. | | |
| Packaging | SILBIONE MED ADH 4100 is available in Pail of 18 KG (39.69 LB) Piece of 1 PC Box of 48 PC | | |
| Storage and shelf life | When stored in its original packaging: SILBIONE MED ADH 4100 may be stored for up to 24 months from its date of manufacturing. Comply with the storage instructions and expiracy date marked on the packaging. Beyond this date, Elkem Silicones no longer guarantees that the product meets the sales specifications. | | |
| Regulation | Please consult your local ELKEM SILICONES sales office. | | |
| Limitations | Please consult your local ELKEM SILICONES sales office. | | |
| Safety | Please consult the Safety Data Sheet of: SILBIONE MED ADH 4100 | | |

Visit our website www.silicones.elkem.com

Warning to the users

The information contained in this document is given in good faith based on our current knowledge. It is only an indication and is in no way binding, particularly as regards infringement of or prejudice to third party rights through the use of our products. ELKEM SILICONES guarantees that its products comply with its sales specifications. This information must on no account be used as a substitute for necessary prior tests which alone can ensure that a product is suitable for given use. Determination of the suitability of product for the uses and applications contemplated by users and others shall be the sole responsibility of users. Users are responsible for ensuring compliance with local legislation and for obtaining the necessary certifications and authorisations. Users are requested to check that they are in possession of the latest version of this document and ELKEM SILICONES is at their disposal to supply any additional information.

